

Turnbuckle Assist

Users Manual





CHIEF'S LIMITED ONE-YEAR WARRANTY & LIABILITY

Chief Automotive Technologies, Inc. warrants for one year from date of installation and/or purchase any of its products which do not perform satisfactorily due to defect caused by faulty material or workmanship. Chief's obligation under this warranty is limited to the repair or replacement of products which are defective and which have not been misused, carelessly handled, or defaced by repair or repairs made or attempted by others.

CHIEF AUTOMOTIVE TECHNOLOGIES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ANY DEATH, INJURY OR PROPERTY DAMAGE RESULTING FROM THE OPERATOR'S NEGLIGENCE OR MISUSE OF THIS PRODUCT OR ITS ATTACHMENTS. CHIEF MAKES NO WRITTEN, EXPRESS OR IMPLIED WARRANTY WHATSOEVER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE REGARDING THE EQUIPMENT OR ANY PART OF THE PRODUCT OTHER THAN THE LIMITED ONE-YEAR WARRANTY STATED ABOVE.

Turnbuckle Assist

The turnbuckle assist is designed for secondary holding purposes and is used primarily for supporting anchoring stands that extended upward to secure high ground clearance vehicles. Turnbuckles may also be used as a tie down attachment to hold a vehicle's structural components secure while pulls are being made at the opposite end of the vehicle. Using the turnbuckle assist as the only means of holding the vehicle, however, is not recommended. The device consists of a cylindrical center unit which features adjustable hooks at each end.

Figures 1 and 2 show the turnbuckle assist supporting a suspension mount tube secured in an anchoring stand base. A triangle, pin and shackle are used to secure the device to the anchoring stand assembly whereas at the opposite end, a hook holds firmly to the tie down hole. After installing the device as shown, tension is adjusted by rotating the cylindrical center unit.

Parts Information

To order parts for the turnbuckle assist contact Chief Automotive Technologies, Inc., 800-445-9262. When contacting Chief Automotive Technologies, Inc. by telephone or mail, provide the following information: name, name of shop, shop telephone number, shop address, description of part(s) and part number(s).

PART NO.	QTY.	DESCRIPTION
539630		Turnbuckle Assist, Complete
628220		Turnbuckle Assist Assembly
628207	1	Hook/Rod, Left Hand
628208	1	Hook/Rod, Right Hand
605464	1	Triangle
605472	1	Pin & Shackle




Figure 1




Figure 2




Figure 3



P.O. Box 1368
Grand Island, Nebraska 68802-1368
Phone: 308/384-9747
Fax: 308/384-8966

www.chiefautomotive.com

**Chief reserves the right to alter product specifications and/or
package components without notice.**